

Amendments to the Claims:

This listing of claims replaces all prior versions and listings of claims in the application:

Listing of Claims:

1-2. (Canceled)

3. (Currently Amended) A vehicle comprising:

a side mirror;

a camera;

a display device mounted in the side mirror, said display device comprising a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor,

wherein the display device displays information read from the camera.

4. (Currently Amended) A vehicle comprising:

a back mirror;

a camera;

a display device mounted in the back mirror, said display device comprising a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor,

wherein the display device displays information read from the camera.

5. (Currently Amended) A vehicle comprising:

- a side mirror;
- a camera;
- a central processing unit;
- a video signal processing section in the central processing unit, said video signal processing section being supplied with information read by the camera;
- a control circuit being supplied with a video signal from the central processing unit; and
- a display device mounted in the side mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

6. (Currently Amended) A vehicle comprising:

- a back mirror;
- a camera;
- a central processing unit;
- a video signal processing section in the central processing unit, said video signal processing section being supplied with information read by the camera;
- a control circuit being supplied with a video signal from the central processing unit; and
- a display device mounted in the back mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver

circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

7. (Currently Amended) A vehicle comprising:

- a side mirror;
- a sensor for measuring a distance to another vehicle; and
- a display device mounted in the side mirror, said display device displaying

information read from the sensor,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

8. (Currently Amended) A vehicle comprising:

- a back mirror;
- a sensor for measuring a distance to another vehicle; and
- a display device mounted in the back mirror, said display device displaying

information read from the sensor,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

9. (Currently Amended) A vehicle comprising:

- a side mirror;
- a sensor for measuring a distance to another vehicle;
- a central processing unit;

a video signal processing section in the central processing unit, said video signal processing section being supplied with information read from the sensor;

a control circuit being supplied with a video signal from the central processing unit; and

a display device mounted in the side mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

10. (Currently Amended) A vehicle comprising:

a back mirror;

a sensor for measuring a distance to another vehicle;

a central processing unit;

a video signal processing section in the central processing unit, said video signal processing section being supplied with information read from the sensor;

a control circuit being supplied with a video signal from the central processing unit; and

a display device mounted in the back mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

11. (Currently Amended) A vehicle comprising:

- a side mirror;
- a sensor for sensing an impact; and
- a display device mounted in the side mirror, said display device displaying

information read from the sensor,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

12. (Currently Amended) A vehicle comprising:

- a back mirror;
- a sensor for sensing an impact; and
- a display device mounted in the back mirror, said display device displaying

information read from the sensor,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

13. (Currently Amended) A vehicle comprising:

- a side mirror;
- a sensor for sensing an impact;
- a central processing unit;
- a video signal processing section in the central processing unit, said video signal processing section being supplied with information read from the sensor;
- a control circuit being supplied with a video signal from the central processing

unit; and

a display device mounted in the side mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

14. (Currently Amended) A vehicle comprising:

a back mirror;

a sensor for sensing and impact;

a central processing unit;

a video signal processing section in the central processing unit, said video signal processing section being supplied with information read from the sensor;

a control circuit being supplied with a video signal from the central processing unit; and

a display device mounted in the back mirror, said display device being supplied with the video signal and a timing signal from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

15. (Currently Amended) A vehicle comprising:

a side mirror;

an impact sensor for sensing an impact;

an audio device having a speaker and a microphone;

an alarm device having an audio processing circuit and a control circuit;

a central processing unit supplied with an impact signal when the impact sensor senses an impact;

wherein the audio processing circuit and the control circuit are supplied with the impact signal from the central processing unit;

a microphone for warning of a danger given from a signal supplied from the audio processing circuit; and

a display device mounted in the side mirror, said display device displaying a warning based on a signal supplied from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

16. (Currently Amended) A vehicle comprising:

a back mirror;

an impact sensor for sensing an impact;

an audio device having a speaker and a microphone;

an alarm device having an audio processing circuit and a control circuit;

a central processing unit supplied with an impact signal when the impact sensor senses an impact;

wherein the audio processing circuit and the control circuit are supplied with the impact signal from the central processing unit;

a microphone for warning of a danger given from a signal supplied from the audio processing circuit; and

a display device mounted in the back mirror, said display device displaying a warning based on a signal supplied from the control circuit,

wherein said display device comprises a substrate, a first thin film transistor formed over the substrate, a pixel electrode electrically connected to the first thin film transistor and a driver

circuit comprising a second thin film transistor formed over the substrate and operationally connected to the first thin film transistor.

17. (Original) A vehicle according to claim 3,  
wherein the camera comprises a CCD camera.
- 18-23. (Canceled)
24. (Original) A vehicle according to claim 3,  
wherein a half mirror is provided in the side mirror.
25. (Original) A vehicle according to claim 3,  
wherein the display device is a liquid crystal display device.
26. (Original) A vehicle according to claim 3,  
wherein the display device is an electroluminescent (EL) display device.
27. (Original) A vehicle according to claim 4,  
wherein the camera comprises a CCD camera.
28. (Original) A vehicle according to claim 4,  
wherein a half mirror is provided in the back mirror.
29. (Original) A vehicle according to claim 4,  
wherein the display device is a liquid crystal display device.
30. (Original) A vehicle according to claim 4,  
wherein the display device is an electroluminescent (EL) display device.

31. (Original) A vehicle according to claim 5,  
wherein the camera comprises a CCD camera.
32. (Original) A vehicle according to claim 5,  
wherein a half mirror is provided in the side mirror.
33. (Original) A vehicle according to claim 5,  
wherein the display device is a liquid crystal display device.
34. (Original) A vehicle according to claim 5,  
wherein the display device is an electroluminescent (EL) display device.
35. (Original) A vehicle according to claim 6,  
wherein the camera comprises a CCD camera.
36. (Original) A vehicle according to claim 6,  
wherein a half mirror is provided in the back mirror.
37. (Original) A vehicle according to claim 6,  
wherein the display device is a liquid crystal display device.
38. (Original) A vehicle according to claim 6,  
wherein the display device is an electroluminescent (EL) display device.
39. (Original) A vehicle according to claim 7,  
wherein a half mirror is provided in the side mirror.

40. (Original) A vehicle according to claim 7,  
wherein the display device is a liquid crystal display device.
41. (Original) A vehicle according to claim 7,  
wherein the display device is an electroluminescent (EL) display device.
42. (Original) A vehicle according to claim 8,  
wherein a half mirror is provided in the back mirror.
43. (Original) A vehicle according to claim 8,  
wherein the display device is a liquid crystal display device.
44. (Original) A vehicle according to claim 8,  
wherein the display device is an electroluminescent (EL) display device.
45. (Original) A vehicle according to claim 9,  
wherein a half mirror is provided in the side mirror.
46. (Original) A vehicle according to claim 9,  
wherein the display device is a liquid crystal display device.
47. (Original) A vehicle according to claim 9,  
wherein the display device is an electroluminescent (EL) display device.
48. (Original) A vehicle according to claim 10,  
wherein a half mirror is provided in the back mirror.

49. (Original) A vehicle according to claim 10,  
wherein the display device is a liquid crystal display device.
50. (Original) A vehicle according to claim 10,  
wherein the display device is an electroluminescent (EL) display device.
51. (Original) A vehicle according to claim 11,  
wherein a half mirror is provided in the side mirror.
52. (Original) A vehicle according to claim 11,  
wherein the display device is a liquid crystal display device.
53. (Original) A vehicle according to claim 11,  
wherein the display device is an electroluminescent (EL) display device.
54. (Original) A vehicle according to claim 12,  
wherein a half mirror is provided in the back mirror.
55. (Original) A vehicle according to claim 12,  
wherein the display device is a liquid crystal display device.
56. (Original) A vehicle according to claim 12,  
wherein the display device is an electroluminescent (EL) display device.
57. (Original) A vehicle according to claim 13,  
wherein a half mirror is provided in the side mirror.
58. (Original) A vehicle according to claim 13,

wherein the display device is a liquid crystal display device.

59. (Original) A vehicle according to claim 13,

wherein the display device is an electroluminescent (EL) display device.

60. (Original) A vehicle according to claim 14,

wherein a half mirror is provided in the back mirror.

61. (Original) A vehicle according to claim 14,

wherein the display device is a liquid crystal display device.

62. (Original) A vehicle according to claim 14,

wherein the display device is an electroluminescent (EL) display device.

63. (Original) A vehicle according to claim 15,

wherein a half mirror is provided in the side mirror.

64. (Original) A vehicle according to claim 15,

wherein the display device is a liquid crystal display device.

65. (Original) A vehicle according to claim 15,

wherein the display device is an electroluminescent (EL) display device.

66. (Original) A vehicle according to claim 16,

wherein a half mirror is provided in the back mirror.

67. (Original) A vehicle according to claim 16,

wherein the display device is a liquid crystal display device.

Applicant : Shunpei Yamazaki  
Serial No. : 10/016,224  
Filed : November 1, 2001  
Page : 14 of 19

Attorney's Docket No.: 07977-288001 / US5290/5981

68. (Original) A vehicle according to claim 16,  
wherein the display device is an electroluminescent (EL) display device.